

Patient Information Guide Breast Care After Your Core Breast Biopsy

- 1. Leave the pressure dressing on for 24 hours after your biopsy. No lifting for 24 hours following the procedure (including grocery bags), no vacuuming.
- 2. After 24 hours, remove the pressure dressing but leave the steri-strips on until they fall off in about 3 to 5 days. You may bathe but keep the biopsy site dry when bathing/cleaning. Do not go into a pool, pond, lake or hot tub until the biopsy area is well healed.
- 3. You may have mild discomfort in your breast and you may have a small amount of bruising where the needle entered the skin.
- If you need to take something for discomfort, take acetaminophen (e.g. Tylenol®) or ibuprofen (e.g. Advil®, Nupren® or Motrin®). DO NOT TAKE ASPIRIN®.
- 5. An ice pack on your breast may also help with discomfort. Do <u>not</u> apply ice for more than 10 15 minutes at a time. Be sure to always use a towel to keep the ice from directly contacting your skin and remove it if you start to feel frozen.
- 6. Contact your doctor if you experience any bleeding, pain or fever.
- 7. Your doctor will contact you with your results. Please phone your doctor if you have not heard from him/her within 2 weeks.

Contact Information

Lakeridge Health Oshawa Breast Assessment Centre Telephone (905) 576–8711 ext. 33923 Office Hours 8am-4pm Lakeridge Health Ajax Pickering Mammography Department Telephone (905) 683–2320 ext. 11434 Office Hours 7am-3pm